

**SOLUTIONS OF SYSTEMS OF DIFFERENTIAL EQUATIONS
AND CLASSIFICATION OF THE ORIGIN**

3450:438/538-001 Advanced Engineering Math I
Instructor: Dr. Laura Gross

Consider the system $\mathbf{x}' = A\mathbf{x}$, where $\mathbf{x} = \begin{bmatrix} x_1(t) \\ x_2(t) \end{bmatrix}$, A is the matrix of constants $\begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix}$,

and $\det(A) \neq 0$.

Find the eigenvalues and eigenvectors of A . Then the critical point at the origin can be classified as follows:

- | | | |
|--|---------------|-----------------------|
| 1. $\lambda_1 < \lambda_2 < 0$ | Improper Node | Asymptotically Stable |
| 2. $\lambda_1 > \lambda_2 > 0$ | Improper Node | Unstable |
| 3. $\lambda_1 < 0 < \lambda_2$ | Saddle Point | Unstable |
| 4. $\lambda = \alpha \pm i\beta, \alpha < 0$ | Spiral Point | Asymptotically Stable |
| 5. $\lambda = \alpha \pm i\beta, \alpha > 0$ | Spiral Point | Unstable |
| 6. $\lambda = \alpha \pm i\beta, \alpha = 0$ | Center | Stable |
| 7. $\lambda_1 = \lambda_2 < 0$, e-vtrs indep. | Proper Node | Asymptotically Stable |
| 8. $\lambda_1 = \lambda_2 > 0$, e-vtrs indep. | Proper Node | Unstable |
| 9. $\lambda_1 = \lambda_2 < 0$, e-vtrs dep. | Improper Node | Asymptotically Stable |
| 10. $\lambda_1 = \lambda_2 > 0$, e-vtrs dep. | Improper Node | Unstable |

In cases 1, 2, 3, 7, 8, the general solution is

$$\mathbf{x}(t) = c_1 e^{\lambda_1 t} \mathbf{E}^{(1)} + c_2 e^{\lambda_2 t} \mathbf{E}^{(2)}.$$

In cases 4, 5, 6, the eigenvalue-eigenvector pairs are $(\alpha \pm i\beta, \mathbf{u} \pm i\mathbf{v})$. The real-valued general solution is

$$\mathbf{x}(t) = e^{\alpha t} [c_1 (\mathbf{u} \cos \beta t - \mathbf{v} \sin \beta t) + c_2 (\mathbf{u} \sin \beta t + \mathbf{v} \cos \beta t)].$$

In cases 9 and 10, the only eigenvalue-eigenvector pair is $(\lambda, [E_1 \ E_2]^T)$. The general solution is

$$\mathbf{x}(t) = e^{\lambda t} \left(c_1 \begin{bmatrix} E_1 \\ E_2 \end{bmatrix} + c_2 \left(t \begin{bmatrix} E_1 \\ E_2 \end{bmatrix} + \begin{bmatrix} 0 \\ E_1/a_{12} \end{bmatrix} \right) \right).$$